Maxforce® White Cockroach Gel

Date of Issue: November 28th, 2007

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND SUPPLIER

Product name: Maxforce® White Cockroach Gel

Other names: None
Product code: Not available
Chemical group: Guanidine

Recommended use: Insecticidal bait gel for cockroach control.

Formulation: Gel

Supplier: Bayer Environmental Science – A Business Group of Bayer CropScience Pty Ltd

ABN 87 000 226 022

Address: 391 - 393 Tooronga Road, East Hawthorn

Victoria 3123, Australia

Telephone: (03) 9248 6888 Facsimile: (03) 9248 6800

Website: www.bayercropscience.com.au
Contact: Technical Manager (03) 9248 6854

Emergency

Telephone Number: 1800 033 111 – Orica SH&E Shared Services

2. HAZARDS IDENTIFICATION

NON-HAZARDOUS SUBSTANCE - NON-DANGEROUS GOOD

May irritate skin. Not flammable.

Hazard designation: Non-hazardous (National Occupational Health and Safety Commission - NOHSC)

Risk phrases: Not applicable

Safety phrases: See sections 4, 5, 6, 7, 8, 9, 13

ADG classification: This product is not classified as a Dangerous Good under the Australian Code for the

Transport of Dangerous Goods by Road and Rail.

SUSDP Exempt

classification:

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Concentration (g/kg):
Imidacloprid	[138261-41-3]	21.5
Min. 1.5% aqueous mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	[55965-84-9]	0.09
Other ingredients (non-hazardous)	-	>970

Maxforce® White Cockroach Gel

Date of Issue: November 28th, 2007

4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Material Safety Data Sheet to a doctor.

Inhalation: The presentation as a gel means inhalation is unlikely.

Skin contact: Wash skin immediately with copious amounts of soap and water. Seek medical advice if

irritation occurs.

Eye contact: Rinse eyes thoroughly with water. See medical advice if irritation occurs.

Ingestion: Seek medical advice.

First Aid Facilities: Provide washing facilities in the workplace.

Symptoms: Symptoms of intoxication that may arise if the product is mishandled include nausea,

abdominal pain and diarrhoea. Muscular cramps, apathetic state, depressed muscular tone, respiratory disturbance and trembling are also possible in severe cases of poisoning.

Medical attention: Treatment

Basic aid, decontamination, symptomatic treatment.

Note for physicians

Check blood pressure and pulse rate frequently since bradycardia and hypotension are possible. Provide supportive measures for respiratory and cardiac function. Give artificial

respiration if signs of paralysis appear. Additional therapeutic measures involve

elimination of the substance from the body or acceleration of its excretion (gastro-lavage,

saline laxatives). No specific antidote known.

Contraindications: Absorption promoting agents such as alcoholic beverages and milk. Oils and fats are of no special significance due to the low liposolubility of the active

ingredient.

5. FIRE FIGHTING MEASURES

Extinguishing media:

Hazards from combustion

products:

Precautions for fire fighters:

Carbon dioxide, water, dry agent, foam

In the event of fire, the formation of hydrogen chloride, hydrogen cyanide, carbon monoxide and nitrogen oxides must be anticipated. Do not breathe fumes.

Fire fighters should wear full protective gear, including self-contained breathing apparatus (AS/NZS 1715/1716). Keep unnecessary people away and move all other personnel to windward side of fire. Bund area with sand or earth to prevent contamination of drains or

windward side of fire. Bund area with sand or earth to prevent contamination of drains or waterways. Dispose of fire control water or other extinguishing agent and spillage safely

later.

Maxforce® White Cockroach Gel

Date of Issue: November 28th, 2007

6. ACCIDENTAL RELEASE MEASURES

Dealing with spills and disposals may result in the potential for increased personal exposure. Protective clothing and equipment as described in the PERSONAL PROTECTION section should be worn. Avoid contact with spilled material or contaminated surfaces. Keep people and animals away. Contain spill, sweep up or shovel and place in properly labelled sealed drums for safe disposal. Deal with all spillages immediately. If contamination of drains, streams, watercourses etc. is unavoidable, warn the local water authority.

7. HANDLING AND STORAGE

Handling: Keep out of reach of children.

Storage: Store below 30°C

Do not store in direct sunlight. Store in the closed, original carton in a cool, dry place.

None required during normal use. Wash hands after use. Place bait spots out of reach of

Do not destroy carton while product remains.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure standards: NOHSC exposure standards have not been established for imidacloprid or for any of the

inert constituents of this formulation.

Engineering controls: No engineering controls are required in the normal use of this product.

Equipment: children or pets.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White to beige colour gel Odour: Slight characteristic smell

Vapour pressure: 2xl0-9 hPa at 20°C (active constituent)

Vapour density:

Boiling point:

Solubility:

Density:

PH:

Approx 1.2 kg/L

Approx 1.2 kg/L

Approx 1.2 kg/L

No flash point up to 100°C.

Flammability Not applicable

(explosive) limits:

Personal Protective

Auto-ignition Not available

temperature:

Octanol/water | log P octanol/water = 0.57

partition coefficient:

Formulation: Gel bait for control of cockroaches

Maxforce® White Cockroach Gel

Date of Issue: November 28th, 2007

10. STABILITY AND REACTIVITY

Product is not classified as flammable. Chemical stability:

Hazardous None

polymerisation:

Conditions to avoid: Keep away from sources of ignition and strong oxidising agents as a precaution.

Incompatible

Not available

materials: Hazardous

In the event of fire, the formation of hydrogen chloride, hydrogen cyanide, carbon

decomposition monoxide and nitrogen oxides must be anticipated.

products:

11. TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

Inhalation: Due to the nature of this product, inhalation is unlikely

Skin contact: May irritate the skin

Eye contact: Unlikely to irritate eyes

Ingestion: Not available

Other: None

ANIMAL TOXICITY DATA - PRODUCT:

Acute:

Oral toxicity: LD_{50} rat: > 5000 mg/kg

Dermal toxicity: LD₅₀ rat: > 5000 mg/kg i.e practically non-toxic

Inhalation toxicity: Not available

Skin irritation: Slightly irritating - rabbit

Eye irritation: Not irritating - rabbit

Sensitisation: Not sensitising – Guinea pig

Chronic:

Animal studies show no evidence of oncogenic effect, no evidence of carcinogenic effects and no teratogenic potential for imidacloprid.

Maxforce® White Cockroach Gel

Date of Issue: November 28th, 2007

12. ECOLOGICAL INFORMATION

Do not contaminate ponds, waterways or drains with the chemical or used containers.

Fish toxicity: LC₅₀: 237 mg/L (96 h); golden orfe (*Leuciscus idus melanotis*)

LC₅₀: 211 mg/L (96 h); rainbow trout (*Oncorhynchus mykiss*)

Daphnia toxicity: EC₅₀: 85 mg/L (48 h) *Daphnia magna*

Toxicity to algae: EC₅₀: > 100 mg/L (72 h); green alga (*Pseudokirchneriella subcapitata*)

Bird toxicity: Acute oral LD₅₀: 31 mg/kg; Japanese quail

Acute oral LD₅₀: 152 mg/kg; bobwhite quail

Bee toxicity: Dangerous to bees

Other: None

Environmental fate, Imidacloprid shows a medium adsorption to soil. Classified as immobile in soil. Not

persistence and expected to leach.

degradation:

13. DISPOSAL CONSIDERATIONS

1) After intended use:

Wrap used packaging in paper, place in a plastic bag and put in garbage.

2) After spill or accident:

Dispose of sealed containers at an approved local waste disposal site.

14. TRANSPORT INFORMATION

UN number: Not applicable Proper shipping Not applicable

name:

Class and Not "dangerous goods" for transport by road or rail according to the Australian Code for the

Subsidiary Risk: Transport of Dangerous Goods by Road and Rail.

Packing Group: Not applicable EPG: Not applicable Hazchem code: Not applicable

Marine pollutant: No

15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Act 1988

Australian Pesticides and Veterinary Medicines Authority Approval Number: 61937

Maxforce® White Cockroach Gel

Date of Issue: November 28th, 2007

16. OTHER INFORMATION

Trademark

Maxforce® is a Registered Trademark of Bayer

information:

First edition.

Preparation information:

Data sources: Bayer CropScience Pty Ltd product safety data and published data

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

END OF MSDS